

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Triethylene glycol PRODUCT NAME:

03265 HCI PRODUCT ID NUMBER:

TEG, Glycol-bis(hydroxyethyl)ether **SYNONYMS:**

Glycol **CHEMICAL FAMILY NAME:** NFPA HAZARD RATINGS(H-F-R): 1-1-0 HMIS HAZARD RATINGS(H-F-R): 1-1-0

HCI USA Distribution Companies DISTRIBUTOR:

IN CASE OF EMERGENCY CALL: 1-800-424-9300

HCI Technical Resource Center MSDS PREPARED BY:

> St. Louis, MO 63111 (314) 353-6500

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NUMBERS	Percent
Triethylene glycol	000112-27-6	100

Trace impurities and additional material names not listed above may also appear in the Regulatory Information Section (Section 15) towards the end of the MSDS. These materials may be listed for local "Right to Know" compliance and for other reasons.

3. HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION! May cause irritation to skin, eyes, and respirtatory tract. Harmful if swallowed.

POTENTIAL HEALTH EFFECTS:

SKIN CONTACT: Brief contact is not irritating.

Prolonged or repeated contact with skin may cause irritation.

SKIN

No data available ABSORPTION:

EYES: Contact with the eyes may cause irritation.

INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting, diarrhea.

drowsiness, and loss of consciousness. May result in kidney and liver damage.

INHALATION: Inhalation is believed to be minimally irritating.

MEDICAL CONDITIONS AGGRAVATED:

No data available

WARNING: Contains a chemical known to the State of California to cause cancer. Components found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT	NTP	IARC	OSHA
Triethylene glycol	N	N	N

4. FIRST AID MEASURES

Remove contaminated clothing and shoes. **SKIN CONTACT:**

Wash exposed areas with soap and water.

Call a physician if irritation persists.

Flush eyes with water for at least 15 minutes. EYE CONTACT:

Call a physician if irritation persists.

Call a physician immediately! **INGESTION:**

Remove to fresh air. INHALATION:

If breathing has stopped, give artificial respiration.

Call a physician if irritation persists.

No data available NOTES TO PHYSICIAN:

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSIVE PROPERTIES

FLASH POINT:

340 °F

FLASH POINT:

171.09 °C

FLASH POINT METHOD: PMCC

LOWER

0.9 Calculated

FLAMMABILITY LIMIT: UPPER FLAMMABILITY

LIMIT:

9.2 Estimated

AUTOIGNITION

TEMPERATURE:

674.6 °F, 356.96 °C

FLAMMABILITY

CLASSIFICATION:

IIIB-

EXTING. MEDIA:

Use water spray, carbon dioxide, dry chemical, or foam.

FIRE FIGHTING:

Use fog nozzles if water is used. Water or foam may cause frothing.

Cool fire-exposed containers with water spray.

PROTECTIVE

Use NIOSH-approved self-contained breathing apparatus and

EQUIPMENT:

complete protective clothing when fighting chemical fires.

This material forms peroxides of unknown stability. FIRE HAZARDS:

During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

6. ACCIDENTAL RELEASE MEASURES

MATERIAL SAFETY DATA SHEET

SMALL SPILLS:

Contain spill and ventilate area. Absorb on inert media and containerize for disposal.

LARGE SPILLS:

Contain spill and ventilate area. Permit only trained personnel wearing full protective equipment to enter the spill area. Collect the spill in a waste container or remove with a

vacuum truck. Prevent spill from entering natural watercourses.

PROTECTIVE EQUIPMENT\ SPILL-RELEASE INSTRUCTIONS:

Wear complete protective clothing when cleaning up chemical spills. Spills and releases may have to be reported to federal and/or local authorities. See the Regulatory Information section (section 14) regarding reporting requirements.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with skin, eyes, and clothing.

Avoid breathing product vapors and mists.

Do not take internally.

Wash thoroughly after handling this material. Use this material only with adequate ventilation.

STORAGE: Keep container closed when not in use.

Store in a cool, dry place.

This material should avoid direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Special ventilation is not required under normal use. Use local exhaust ventilation where dust, mist, or spray may be generated.

PERSONAL PROTECTIVE EQUIPMENT

SKIN:

Wear protective gloves made of neoprene or rubber.

EYE:

Wear chemical safety goggles.

RESPIRATORY: Use a NIOSH-approved respirator for dusts/mists when necessary.

OTHER:

Emergency showers, eye-wash stations, and fire blankets should be accessible.

Wear protective clothing.

EXPOSURE GUIDELINES:

INGREDIENT

ACGIH ACGIH OSHA OSHA
TLV STEL PEL STEL

Triethylene glycol

N/EST N/EST N/EST N/EST

N/EST = Not established

See 29 CFR 1910.1000 (D) (2) and ACGIH "Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices" booklet (Appendix C) for the determination of exposure limits for mixtures. Consult an industrial hygenist or similar professional to

confrim that the calculated exposure limits are approriate.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

Liquid

APPEARANCE

Colorless, viscous

ODOR:

Mild

SPECIFIC GRAVITY:

1.12

SOLUBILTY (IN WATER): Complete

BOILING POINT (°F):

545

BOILING POINT (°C):

284.97

FREEZING POINT (°F):

19

FREEZING POINT (°C):

-7.22

MELTING POINT (°F):

19

MELTING POINT (°C):

-7.22

PRODUCT pH:

6-9.5 @ 23C <0.01 @ 20C

VAPOR PRESSURE:

5.2

VAPOR DENSITY: **EVAPORATION RATE:**

< 0.001

% VOLATILES:

Negligible

10. STABILITY AND REACTIVITY

STABILITY:

Stable

CONDITIONS TO AVOID:

Exposure to high temperatures should be minimized.

INCOMPATIBILITY:

Acids, bases, oxidizing materials

DECOMPOSITION:

Toxic oxides of carbon

Unidentified organic compounds

This material forms peroxides of unknown stability.

POLYMERIZATION WILL OCCUR: no

11. TOXICOLOGICAL INFORMATION

May cause irritation to skin, eyes, and respiratory tract. Harmful if swallowed. IRRITATION DATA: 500 mg/24 hours skin-rabbit mild; 500

mg eyes-rabbit mild; TOXICITY DATA: LD50: 22.06 g/kg oral-rat; LD50: 16.7 g/kg oral-mouse; LD50: 9.5 g/kg oral-rabbit; LD50: >5 g/kg skin-rabbit; LD50: 17 gm/kg oral-rat; LD50: 11700 mg/kg intravenous-rat; LD50: 8141 mg/kg intraperitoneal-mouse; LD50: 8750 mg/kg subcutaneous-mouse; LD50: 6500 mg/kg intravenous-mouse; LD50: >4500 mg/kg intravenous-dog; LD50: 8400 mg/kg oral-rabbit; LD50: >20

IMMEDIATE EFFECTS:

ml/kg skin-rabbit; LD50: 1900 mg/kg intravenous-rabbit; LD50: 7900 mg/kg oral-guinea pig; LD50: 10600 mg/kg intravenous-guinea pig;

LD50: 8150 mg/kg oral-mammal

CARCINOGENICITY: No data available No data available **MUTAGENICITY: EPIDEMIOLOGY:** No data available TERATOGENICITY: No data available

> TDLo: 103 gm/kg oral-rat 6-15 days pregnant female continuous; TDLo: 90160 mg/kg oral-mouse 7-14 days pregnant female continuous; TDLo: 56370 mg/kg oral-mouse 6-15 pregnant female continuous; TDLo: 323

REPRODUCTIVITY: gm/kg oral-mouse multigenerations; TDLo: 57820 mg/kg oral-mouse

multigenerations

No data available **NEURTOXICITY:**

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: FISH TOXICITY: LC50: 10.2 ug/L 96 hours (Mortality) Rainbow trout, donaldson trout (Oncorhynchus mykiss); INVERTEBRATE TOXICITY: EC50: 343 ug/L 48 hours (Immobilization) Water flea (Daphnia magna); ALGAL TOXICITY: MATC: 16730 ug/L 11-14 hours (Growth) Red algae (Champia parvula); FATE AND TRANSPORT: BIOCÒNCENTRATION: BCF: 857 ug/L 24 hours (Residue) Striped mullet (Mugil cephalus) 0.035 ug/L; ENVIRONMENTAL SUMMARY: Highly toxic to aquatic life. This product has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial respiration, a low potential to affect the germination and/or early growth of some plants. This product is expected to have a low potential to bioconcentrate. After dilution with a large amount of water, followed by secondary waste treatment, this material is not expected to cause adverse environmental effects. OXYGEN DEMAND DATA: ThOD: 1.6 g oxygen/g; COD: 1.59 g oxygen/g; BOD-5: 0.03 g oxygen/g; BOD-20: 0.27 g oxygen/g; ACUTE AQUATIC EFFECTS DATA: LC50: >5000 mg/L 24 hours Goldfish; LC50: >10000 mg/L 48 hours Golden orfe; LC50: >1000 ul/L 96 hours Fathead minnow; LC50: >1000 ul/L 96 hours Daphnid; BIODEGRADATION: Using activated sludge acclimated for 20 days at 20 C (68 F), this material served as the sole carbon source, and 97.7% COD removal was observed over a period of up to 120 hours at a rate of 27.5 mg COD removal was observed over a period of up to 120 hours at a rate of 27.5 mg COD removed/gram of dry inoculum/hour. SECONDARY WASTE WATER TREATMENT EFFECTS: IC50: >5000 mg/L 5 hours; 7-DAY PLANT GERMINATION EFFECTS-No adverse concentration: Ryegrass: >1000 ul/L; Radish: >1000 ul/L; Lettuce: >1000 ul/L; 7-DAY PLANT SEEDLING EFFECTS-No adverse effect concentration: Marigold: >1000 ul/L; Radish: >1000 ul/L; Corn: >1000 ul/L; Lettuce: >1000 ul/L

13. DISPOSAL CONSIDERATIONS

RCRA WASTE:

No

RCRA ID NUMBER:

Not applicable

VOC

CONTENT

0.017

(lbs/gal):

Waste Disposal Procedure: Discharge, treatment, or disposal may be subject to Federal, State, or Local laws. State and Local regulations and restrictions are complex and may differ from Federal disposal regulation. The information offered here is for the product as shipped. Use

and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA

Classification and the proper disposal method.

14. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME: Not D.O.T. regulated

D.O.T. HAZARD CLASS: None

DOT ID NUMBER:

UN N/AP

DOT PACKING GROUP: None DOT RQ (lbs):

N/AP

OTHER:

None

IMDG HAZARD CLASS: None

ICAO HAZARD CLASS: None

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control

Act):

yes

SECTION 311/312 HAZARD

CLASS:

Immediate (acute) health hazard

WHMIS CLASSIFICATION

(CANADA):

Not restricted

FOREIGN INVENTORY:

Canadian DSL (Domestic Substances List)

EINECS (European Inventory of Existing Commercial

Chemical Substances)

CEPA (Canadian Environmental Protection Act)

ADDITIONAL REGULATORY INFORMATION

WARNING: Contains a chemical known to the State of California to cause

cancer.

(1,4-Dioxane)

MASSACHUSETTS SUBSTANCE LIST:

1,4-Dioxane

NEW JERSEY SUBSTANCE LIST:

Not listed

PENSYLVANIA HAZARDOUS SUBSTANCE LIST:

Triethylene glycol

SARA TITLE III (Superfund Amendments and Reauthorization Act):

INGREDIENTS	CAS NUMBERS	Section 313	Section 302
Triethylene glycol	000112-27-6	N	N

MATERIAL SAFETY DATA SHEET

Page 7 of 7

This product may contain trace amounts of 1,4-Dioxane (CAS # 123-91-1).

16. OTHER INFORMATION

CREATION DATE: 08/19/1997 **REVISION DATE:** 05/27/1999

DISCLAIMER:

The information herein is presented in good faith and is believed to be correct as of the date hereof. However, HCl makes no representation as to the completeness and accuracy thereof. Users must make there own determination as to the suitability of the product for their purposes prior to use. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature with respect to the product or to the information herein is made hereunder. HCl shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication, or use of, or reliance upon the information contained herein.