



**CERTIFICATE OF ANALYSIS**

Product Name : Methylene Chloride  
Batch No. : 20160410  
Formula : CH<sub>2</sub>Cl<sub>2</sub>  
Cas No : 75-09-2  
Date Of Product : April 10,2016

NO.	ITEM TEST	UNITS	METHOD	SPECIFICATION	RESULT
1.	Appearance	-	Visual	Colourless transparent Liquid	Colourless transparent Liquid
2.	Colour	Hazen	ASTM D-1209	max 10	5
3.	Purity	wt %	By GC	min 99.9	99.99
4.	Water Content	mg/Kg	By KF	max 100	44.71
5.	Acidity (as HCl)	mg/Kg	ASTM D-2989	max 4.00	0.43
6.	Non-Volatile Residu	wt %	ASTM D-2109	max 0.001	0.0001
7.	Trichloromethane (CHCl <sub>3</sub> )	mg/Kg	GC	max 100	ND
8.	Tetrachloromethane (CCl <sub>4</sub> )	mg/Kg	GC	max 100	ND

Remark : Manufactureer : SJZ CHEM-PHARMA CO.LTD

This Certificate refers to COA maker

PT.Pancasakti Putra Kencana



SUDIRO S.Si  
Quality Control